

PERMIT TO BE PRINTED OR TYPED

STATE OF WEST VIRGINIA
Mineral County HEALTH DEPARTMENT
ON-SITE SEWAGE DISPOSAL SYSTEM PERMIT

Permit No.: ST-29-22-45
Tax Map 4-9 Parcel # 132
County Road No.:

Owner: Dave Marshall
Address: 262 Northgate Trail
Prigley WV 26753

Certified Installer: Brian Buchler
Address: PO Box 303
Slanesville WV 25444

You are hereby issued a permit to: install, or modify an on-site sewage disposal system located:
Sunny Side Dr.

Facility: Residence Design Flow: 3 Bgpd Lot Size: 2943 Sq. Ft. Acres Water Source: Well

BASED UPON REVIEW OF THE INFORMATION OF YOUR SUBMITTED APPLICATION, DATED 5/15/02 AND THE PROPER INSTALLATION OF THE HEREIN DESCRIBED SYSTEM, THE SYSTEM SHALL BE IN COMPLIANCE WITH APPLICABLE WEST VIRGINIA SEWAGE SYSTEM RULES AND DESIGN STANDARDS.

The sewage system shall consist of a:

- Septic tank - Capacity: 1,000 gallons or more, Constructed of: Concrete
- Soil disposal system with a minimum equivalency of 1200 square feet of conventional gravel trench area. Depth to the bottom of the trench or bed installation shall be: 24 inches from original ground surface.
 - Gravel system: Lengths of lines: _____ feet, Width: 36 inches.
 - Chamber system: Number of units: 4, Length of lines: 80, 80, 80, 80 units. Manufacturer of chamber: Infiltrator
 - Bed system: Gravel, Chamber; Length: _____ feet, Width: _____ feet.
 - Other: Install w/d distribution box on level concrete pad and w/speed levelers. Max depth 18-24" no less (depth) than 20-24" on low side of lines.

This permit is non-transferable and automatically expires 12 months after issue date.

This permit is NULL and VOID when official inspection reveals conditions different than those stipulated on the permit or facts are later found that would indicate non-compliance with applicable rules.


All systems must be inspected and approved prior to being covered with earth or placed into use.

The applicant or his agent must notify this department: 48 hours or more prior to planned inspection time.

5/16/02

Issue Date
Mineral Co HD/304-788-1321
County Office / Phone Number

Sketch of system:



Additional specifications on reverse:

[Signature]
Health Officer or Sanitarian