


Slover Ranch: Motley 853 +/-
 Motley County, Texas, 853 AC +/-



- Photo Point
- Panoramic View
- Trough
- Well
- Pens
- Entry Gate
- Old Homestead
- Fence
- Electric Line
- Cogdell Boundaries
- Boundary
- Stream, Intermittent
- River/Creek
- Water Body

|  All Polygons 851.21 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|---------------|-------|-----|-------|------|
| ObC | Obaro loam, 3 to 5 percent slopes | 206.8 5 | 24.3 | 0 | 30 | 3e |
| OcE | Obaro-Burson complex, 3 to 12 percent slopes | 104.4 6 | 12.27 | 0 | 20 | 6e |
| FmE | Flomot fine sandy loam, 5 to 12 percent slopes | 67.12 | 7.88 | 0 | 37 | 6e |
| WQD | Woodward and Quinlan loams, 3 to 12 percent slopes | 55.24 | 6.49 | 0 | 28 | 4e |
| ObB | Obaro loam, 1 to 3 percent slopes | 55.05 | 6.47 | 0 | 34 | 3e |
| MtB | Motley loam, 1 to 3 percent slopes | 50.9 | 5.98 | 0 | 53 | 2e |
| MeB | Miles loamy fine sand, 0 to 3 percent slopes | 47.24 | 5.55 | 0 | 43 | 3e |
| Ys | Yomont-lincoln soils | 47.06 | 5.53 | 0 | 38 | 2w |
| TuC | Tulia loam, 3 to 5 percent slopes | 42.24 | 4.96 | 0 | 38 | 4e |
| QuD | Quinlan loam, 3 to 12 percent slopes | 40.83 | 4.8 | 0 | 19 | 4e |
| AbB | Abilene clay loam, dry, 1 to 3 percent slopes | 38.82 | 4.56 | 0 | 49 | 2e |
| MfB | Miles fine sandy loam, 1 to 3 percent slopes | 32.18 | 3.78 | 0 | 48 | 3e |
| TuB | Tulia loam, 1 to 3 percent slopes | 28.79 | 3.38 | 0 | 38 | 4e |
| MeC | Miles loamy fine sand, 3 to 5 percent slopes | 20.73 | 2.44 | 0 | 42 | 4e |
| FmC | Flomot fine sandy loam, 3 to 5 percent slopes | 8.4 | 0.99 | 0 | 37 | 4e |
| FrB | Frankirk loam, 1 to 3 percent slopes | 3.21 | 0.38 | 0 | 51 | 2e |
| WIC | Woodward loam, 3 to 5 percent slopes, warm | 1.16 | 0.14 | 0 | 29 | 3e |
| MfC | Miles fine sandy loam, 3 to 5 percent slopes | 0.93 | 0.11 | 0 | 48 | 3e |
| TOTALS | | 851.2 1(*) | 100% | - | 34.14 | 3.67 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 218.61 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|-------|-------|-----|-------|-----|
| MtB | Motley loam, 1 to 3 percent slopes | 50.9 | 23.28 | 0 | 53 | 2e |
| MeB | Miles loamy fine sand, 0 to 3 percent slopes | 47.24 | 21.61 | 0 | 43 | 3e |
| MfB | Miles fine sandy loam, 1 to 3 percent slopes | 32.18 | 14.72 | 0 | 48 | 3e |
| QuD | Quinlan loam, 3 to 12 percent slopes | 23.42 | 10.71 | 0 | 19 | 4e |
| MeC | Miles loamy fine sand, 3 to 5 percent slopes | 20.73 | 9.48 | 0 | 42 | 4e |
| ObC | Obaro loam, 3 to 5 percent slopes | 16.9 | 7.73 | 0 | 30 | 3e |
| ObB | Obaro loam, 1 to 3 percent slopes | 16.75 | 7.66 | 0 | 34 | 3e |
| FmC | Flomot fine sandy loam, 3 to 5 percent slopes | 8.4 | 3.84 | 0 | 37 | 4e |
| WIC | Woodward loam, 3 to 5 percent slopes, warm | 1.16 | 0.53 | 0 | 29 | 3e |

| | | | | | | |
|--------|--|---------------|------|---|-------|------|
| MfC | Miles fine sandy loam, 3 to 5 percent slopes | 0.93 | 0.43 | 0 | 48 | 3e |
| TOTALS | | 218.6 1(*) | 100% | - | 41.42 | 3.01 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

 Boundary 632.6 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|--------------|-------|-----|-------|-----|
| ObC | Obaro loam, 3 to 5 percent slopes | 189.9 5 | 30.03 | 0 | 30 | 3e |
| OcE | Obaro-Burson complex, 3 to 12 percent slopes | 104.4 6 | 16.51 | 0 | 20 | 6e |
| FmE | Flomot fine sandy loam, 5 to 12 percent slopes | 67.12 | 10.61 | 0 | 37 | 6e |
| WQD | Woodward and Quinlan loams, 3 to 12 percent slopes | 55.24 | 8.73 | 0 | 28 | 4e |
| Ys | Yomont-lincoln soils | 47.06 | 7.44 | 0 | 38 | 2w |
| TuC | Tulia loam, 3 to 5 percent slopes | 42.24 | 6.68 | 0 | 38 | 4e |
| AbB | Abilene clay loam, dry, 1 to 3 percent slopes | 38.82 | 6.14 | 0 | 49 | 2e |
| ObB | Obaro loam, 1 to 3 percent slopes | 38.3 | 6.05 | 0 | 34 | 3e |
| TuB | Tulia loam, 1 to 3 percent slopes | 28.79 | 4.55 | 0 | 38 | 4e |
| QuD | Quinlan loam, 3 to 12 percent slopes | 17.41 | 2.75 | 0 | 19 | 4e |
| FrB | Frankirk loam, 1 to 3 percent slopes | 3.21 | 0.51 | 0 | 51 | 2e |
| TOTALS | | 632.6(*) | 100% | - | 31.62 | 3.9 |









(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

| |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|--|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water